

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	LSP Criteria											Sum	Rank	Rank modifiers	rationale
	1	2	3	4	5	6	7	8	9	10	11				
	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value				
<i>Abronia latifolia</i>	0	0	0	0	1	0	5	0	0	1	0	7.0	B		common but restricted to sand
<i>Abronia umbellata</i> var. <i>umbellata</i>	0	0	0	0	1	0	5	3	0	0	0	9.0	B		common but restricted to sand
<i>Acaena pinnatifida</i> var. <i>californica</i>	0	-1	0	0	0	0	0	3	1	0	0	3.0	C		common regionally
<i>Acer negundo</i>	0	5	0	1	1	0	1	0	0	0	0	8.0	B		planted?
<i>Achillea millefolium</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Achyraea mollis</i>	0	10	0	0	0	1	1	0	0	0	0	12.0	A2		under-reported?
<i>Acmispon americanus</i> var. <i>americanus</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Acmispon brachycarpus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Acmispon glaber</i> var.	0	-1	0	0	0	1	1	0	0	1	0	2.0	--	?	check id
<i>Acmispon heermannii</i> var. <i>orbicularis</i>	0	5	0	1	0	0	3	3	1	1	0	14.0	A2		
<i>Acmispon parviflorus</i>	0	10	0	1	0	1	1	0	0	0	0	13.0	A2		
<i>Acmispon strigosus</i>	0	0	0	0	0	1	1	0	0	0	0	2.0	--		
<i>Acmispon wrangelianus</i>	0	-1	0	0	0	1	0	0	1	0	0	1.0	--		
<i>Actaea rubra</i>	0	10	0	1	0	0	1	3	0	0	0	15.0	A2		
<i>Adiantum jordanii</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Aesculus californica</i>	0	-1	0	0	0	0	3	0	1	0	0	3.0	C		common but little regeneration?
<i>Agoseris apargioides</i> var. <i>apargioides</i>	0	-1	0	0	0	0	0	0	1	1	0	1.0	--		common regionally
<i>Agoseris apargioides</i> var. <i>eastwoodiae</i>	0	10	0	1	1	0	3	0	1	0	0	16.0	A2		indigenous status uncertain
<i>Agoseris grandiflora</i> var.	0	0	0	0	0	0	0	0	0	0	0	0.0	--	?	check id
<i>Agoseris heterophylla</i> var.	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x ?	
<i>Agrostis densiflora</i>	0	10	0	1	1	0	3	3	1	0	0	19.0	A2	r	
<i>Agrostis exarata</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Agrostis hallii</i>	0	5	0	1	0	0	0	0	0	0	0	6.0	B		
<i>Agrostis microphylla</i>	0	5	0	1	0	1	1	3	0	0	0	11.0	A2		
<i>Agrostis pallens</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Alisma plantago-aquatica</i>	0	0	10	0	1	0	5	0	0	0	0	16.0			mis-id; not in CA
<i>Allium dichlamydeum</i>	0	-1	0	0	1	1	1	3	1	1	0	7.0	B		
<i>Allium unifolium</i>	0	0	10	0	1	1	5	0	1	0	0	18.0	A2	x	
<i>Alnus rhombifolia</i>	0	10	0	1	1	0	0	0	0	0	0	12.0			presumed planted
<i>Alnus rubra</i>	0	5	0	1	1	0	3	0	0	0	0	10.0	A2		natural stands?
<i>Alopecurus geniculatus</i>	0	10	0	1	1	0	3	3	0	0	0	18.0	A2		indigenous status uncertain

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Alopecurus saccatus</i>	0	10	0	1	1	1	3	0	0	0	0	16.0	A2		verify id; indigenous status uncertain
<i>Amaranthus californicus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Amaranthus powellii</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Ambrosia chamissonis</i>	0	-1	0	0	1	0	3	0	0	1	0	4.0	C		common, but restricted to sand
<i>Ambrosia confertiflora</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Ambrosia psilostachya</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Amelanchier pallida</i>	0	10	0	1	0	0	1	3	0	0	0	15.0	A2		
<i>Amelanchier utahensis</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Ammannia coccinea</i>	0	10	0	1	1	1	1	0	0	0	0	14.0	A2		indigenous status uncertain
<i>Ammannia robusta</i>	0	10	0	1	1	1	1	3	0	0	0	17.0	A2	?	indigenous status uncertain
<i>Amsinckia intermedia</i>	0	5	0	1	0	1	3	0	0	1	0	11.0	A2		
<i>Amsinckia lycopoides</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Amsinckia spectabilis</i> var. <i>spectabilis</i>	0	-1	0	0	1	1	3	3	0	1	0	8.0	B		common regionally
<i>Anagallis minima</i>	0	10	0	1	1	1	1	0	0	0	0	14.0	A2		
<i>Anaphalis margaritacea</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		common regionally
<i>Angelica hendersonii</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Angelica tomentosa</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		indigenous status uncertain
<i>Aphanes occidentalis</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Apiastrum angustifolium</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Aquilegia formosa</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Arabis blepharophylla</i>	5	-1	0	0	0	0	3	0	1	1	0	9.0	B		
<i>Aralia californica</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Arbutus menziesii</i>	0	0	0	0	0	0	3	0	0	0	0	3.0	C		common regionally
<i>Arctostaphylos crustacea</i> ssp. <i>crustacea</i>	0	10	0	1	0	0	5	3	1	0	0	20.0	A1		
<i>Arctostaphylos crustacea</i> ssp. <i>rosei</i>	0	10	0	1	0	0	5	3	1	1	0	21.0	A1		
<i>Arctostaphylos franciscana</i>	10	10	0	1	1	0	5	5	10	1	0	43.0	A1		*
<i>Arctostaphylos montana</i> ssp. <i>ravenii</i>	20	10	0	1	1	0	5	5	10	1	0	53.0	A1		*
<i>Arenaria paludicola</i>	20	0	10	0	1	0	5	3	0	0	0	39.0	A1	x	*
<i>Aristolochia californica</i>	0	5	0	1	0	0	3	0	1	0	0	10.0	A2		
<i>Armeria maritima</i> ssp. <i>californica</i>	0	-1	0	0	0	0	1	0	1	0	0	1.0	--		
<i>Artemisia californica</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Artemisia douglasiana</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Artemisia dracuncululus</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Artemisia pycnocephala</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Astragalus gambelianus</i>	0	5	0	1	0	1	5	0	0	1	0	13.0	A2		
<i>Astragalus nuttallii</i> var. <i>nuttallii</i>	5	5	0	1	0	0	5	3	1	1	0	21.0	A1		
<i>Astragalus nuttallii</i> var. <i>virgatus</i>	0	10	0	1	1	0	5	3	1	1	0	22.0	A1		
<i>Astragalus tener</i> var. <i>tener</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*
<i>Athyrium filix-femina</i> var. <i>cyclosorum</i>	0	0	0	1	0	1	3	0	0	0	0	5.0	B		
<i>Athysanus pusillus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Atriplex leucophylla</i>	0	5	0	1	1	0	5	3	0	1	0	16.0	A2		
<i>Azolla filiculoides</i>	0	10	0	1	1	1	3	0	0	0	0	16.0	A2	r	
<i>Baccharis glutinosa</i>	0	0	0	0	1	0	1	0	0	1	0	3.0	C		
<i>Baccharis pilularis</i> ssp.	0	-1	0	0	0	0	0	0	0	1	0	0.0	--	?	check id
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Barbarea orthoceras</i>	0	5	0	1	0	0	1	0	0	0	0	7.0	B		
<i>Berberis pinnata</i> ssp. <i>pinnata</i>	0	0	0	0	0	0	1	0	0	0	0	1.0	--		common regionally
<i>Berula erecta</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Bidens cernua</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Bidens laevis</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Blennosperma nanum</i> var.	0	10	0	1	1	1	5	0	1	0	0	19.0	A2	?	check id
<i>Bolboschoenus maritimus</i> ssp.	0	5	0	1	1	0	1	0	0	0	0	8.0	B	?	check id
<i>Bowlesia incana</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Brodiaea elegans</i> ssp.	0	0	0	0	0	1	1	5	0	0	0	7.0	B	?	check id
<i>Brodiaea terrestris</i> ssp.	0	-1	0	0	0	1	0	0	0	1	0	1.0	--	?	check id
<i>Brodiaea terrestris</i> ssp. <i>terrestris</i>	0	5	0	0	0	1	1	0	0	0	0	7.0	B		common regionally
<i>Bromus carinatus</i> ssp. <i>carinatus</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Bromus carinatus</i> var. <i>marginatus</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Bromus laevipes</i>	0	10	0	1	0	0	0	0	0	0	0	11.0	A2		under-reported?
<i>Bromus maritimus</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0	--		
<i>Calamagrostis nutkaensis</i>	0	0	0	0	0	0	1	0	0	0	0	1.0	--		
<i>Calandrinia ciliata</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Callitriche marginata</i>	0	0	10	0	1	1	5	0	0	0	0	17.0	A2	x	
<i>Calocedrus decurrens</i>	0	10	0	1	0	0	0	0	0	0	0	11.0			presumed planted
<i>Calochortus luteus</i>	0	10	0	1	0	1	5	3	1	0	0	21.0	A1		
<i>Calycanthus occidentalis</i>	0	10	0	1	0	0	0	0	1	0	0	12.0			presumed planted
<i>Calystegia occidentalis</i> ssp.	0	0	0	0	0	0	0	0	0	0	0	0.0	--	?	check id
<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	0	-1	0	0	0	0	0	0	1	0	0	0.0	--		
<i>Calystegia soldanella</i>	0	5	0	0	1	0	1	0	0	0	0	7.0	B		
<i>Calystegia subcaulis</i> ssp.	0	-1	0	0	0	0	1	3	1	0	0	4.0	C	?	check id
<i>Calystegia subcaulis</i> ssp. <i>subcaulis</i>	0	5	0	0	0	0	1	3	1	0	0	10.0	A2		
<i>Camissonia contorta</i>	0	10	0	0	0	1	5	0	0	0	0	16.0	A2		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Camissonia strigulosa</i>	0	0	0	0	0	1	1	3	0	0	0	5.0	B		common but restricted to sand
<i>Camissoniopsis cheiranthifolia</i> ssp.	0	-1	0	0	1	0	1	0	0	0	0	1.0	--	?	check id
<i>Camissoniopsis cheiranthifolia</i> ssp. <i>cheiranthifolia</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		
<i>Camissoniopsis cheiranthifolia</i> ssp. <i>suffruticosa</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced
<i>Camissoniopsis micrantha</i>	0	0	0	0	1	1	3	0	0	0	0	5.0	B		
<i>Cardamine californica</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Cardamine oligosperma</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Cardionema ramosissimum</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0	--		
<i>Carex aquatilis</i> var.	0	10	0	1	1	0	3	0	0	0	0	15.0	A2	r ?	
<i>Carex barbarae</i>	0	5	0	0	1	0	1	0	0	0	0	7.0	B		
<i>Carex bolanderi</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Carex brevicaulis</i>	0	-1	0	0	1	0	1	3	0	0	0	4.0	C		common here but narrow range
<i>Carex comosa</i>	10	0	10	0	0	0	5	3	0	0	0	28.0	A1	x *	
<i>Carex cusickii</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Carex densa</i>	0	10	0	0	1	0	3	0	1	0	0	15.0	A2		
<i>Carex globosa</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Carex gracilior</i>	0	0	10	0	0	0	5	3	1	0	0	19.0	A2	x	
<i>Carex harfordii</i>	0	5	0	1	0	0	3	0	1	0	0	10.0	A2		
<i>Carex nudata</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Carex obnupta</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		
<i>Carex pansa</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Carex praegracilis</i>	0	10	0	1	1	0	1	0	0	0	0	13.0	A2		
<i>Carex subbracteata</i>	0	-1	0	0	0	0	0	0	1	0	0	0.0	--		
<i>Carex tumulicola</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Carex utriculata</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Castilleja affinis</i> ssp. <i>affinis</i>	0	0	0	1	0	0	3	0	0	1	0	5.0	B		
<i>Castilleja ambigua</i> ssp. <i>ambigua</i>	5	0	10	0	0	1	5	0	0	0	0	21.0	A1	x	
<i>Castilleja attenuata</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Castilleja densiflora</i> ssp.	0	5	0	1	0	1	5	0	1	0	0	13.0	A2	?	check id
<i>Castilleja exserta</i> ssp. <i>exserta</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Castilleja exserta</i> ssp. <i>latifolia</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Castilleja latifolia</i>	5	0	0	0	0	0	5	0	1	1	0	12.0	A2		
<i>Castilleja miniata</i> ssp.?	0	0	10	0	0	0	5	5	0	0	0	20.0	A1	x ?	
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i>	0	10	0	1	0	0	3	0	1	0	0	15.0	A2		
<i>Castilleja wightii</i>	0	5	0	1	0	0	3	0	1	0	0	10.0	A2		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Caulanthus lasiophyllus</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Ceanothus dentatus</i>	0	10	0	1	0	0	0	0	1	0	0	12.0			presumed planted
<i>Ceanothus foliosus</i> var. <i>medius</i>	0	10	0	1	0	0	0	3	1	0	0	15.0			presumed introduced
<i>Ceanothus incanus</i>	0	10	0	1	0	0	1	0	1	0	0	13.0	A2		
<i>Ceanothus thyrsiflorus</i> var.	0	-1	0	0	0	0	0	0	0	1	0	0.0	--	?	check id
<i>Cerastium arvense</i>	0	0	0	0	0	0	0	0	0	1	0	1.0	--	?	check id
<i>Ceratophyllum demersum</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Cercis occidentalis</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced
<i>Chamaecyparis lawsoniana</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced
<i>Chenopodium berlandieri</i>	0	10	10	0	0	1	5	0	0	0	0	26.0	A1	x	
<i>Chenopodium californicum</i>	0	0	0	0	0	0	3	0	0	0	0	3.0	C		
<i>Chlorogalum pomeridianum</i> var.	0	-1	0	0	0	1	0	0	0	0	0	0.0	--	?	check id
<i>Chlorogalum pomeridianum</i> var. <i>divaricatum</i>	0	-1	0	0	0	1	0	0	1	0	0	1.0	--		
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Chloropyron maritimum</i> ssp. <i>palustre</i>	10	10	0	1	1	1	5	3	0	1	0	32.0	A1		*
<i>Chloropyron molle</i> ssp. <i>molle</i>	20	0	10	0	1	1	5	5	1	0	0	43.0	A1	x	*
<i>Chorizanthe cuspidata</i> ssp.	0	-1	0	0	1	1	1	0	1	0	0	3.0	C	?	check id
<i>Chorizanthe cuspidata</i> ssp. <i>cuspidata</i>	10	0	0	1	1	1	5	5	1	1	0	25.0	A1		*
<i>Chorizanthe robusta</i> var. <i>robusta</i>	10	0	10	0	1	1	5	5	1	0	0	33.0	A1	x	*
<i>Cicendia quadrangularis</i>	0	5	0	1	0	1	3	3	0	0	0	13.0	A2		
<i>Cicuta douglasii</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Cirsium andrewsii</i>	10	5	0	1	1	1	5	3	1	1	0	28.0	A1		*
<i>Cirsium brevistylum</i>	0	0	0	1	0	1	3	0	0	0	0	5.0	B		common regionally
<i>Cirsium hydrophilum</i> var. <i>vaseyi</i>	10	0	10	0	1	1	5	5	1	0	0	33.0	A1	x	*
<i>Cirsium occidentale</i> var.	0	10	0	1	0	1	3	0	0	0	0	15.0	A2	?	common and widespread (<i>C.o.</i> var. <i>o</i>)
<i>Cirsium occidentale</i> var. <i>californicum</i>	0	0	0	0	0	1	3	5	1	0	0	10.0	A2		
<i>Cirsium occidentale</i> var. <i>compactum</i>	10	0	10	0	0	0	5	5	1	0	0	31.0	A1	x	*
<i>Cirsium occidentale</i> var. <i>occidentale</i>	0	0	0	1	0	1	3	0	1	0	0	6.0	B		
<i>Cirsium quercetorum</i>	0	0	0	1	0	0	3	0	1	0	0	5.0	B		
<i>Cirsium remotifolium</i> var.	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	?
<i>Clarkia amoena</i> ssp. <i>amoena</i>	0	10	0	1	0	1	1	3	1	0	0	17.0	A2		
<i>Clarkia davyi</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Clarkia franciscana</i>	20	10	0	1	1	1	5	5	1	1	0	45.0	A1		*
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Clarkia rubicunda</i>	0	-1	0	0	0	1	0	0	1	0	0	1.0	--		common regionally

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Clarkia unguiculata</i>	0	-1	0	0	0	1	3	0	1	0	0	4.0			presumed introduced
<i>Claytonia exigua</i> ssp. <i>exigua</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Claytonia parviflora</i> ssp.	0	-1	0	0	1	1	0	0	0	0	0	1.0	--	?	check id - common regionally
<i>Claytonia perfoliata</i> ssp.	0	-1	0	0	0	1	0	0	0	0	0	0.0	--	?	check id
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Clinopodium douglasii</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--		common regionally
<i>Collinsia bartsifolia</i> var. <i>hirsuta</i>	0	0	10	0	0	1	5	5	1	0	0	22.0	A1	x	
<i>Collinsia corymbosa</i>	10	10	0	1	1	1	5	3	1	0	0	32.0	A1		*
<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Collinsia multicolor</i>	10	10	0	1	0	1	5	3	1	1	0	32.0	A1		*
<i>Collinsia tinctoria</i>	0	0	10	0	0	1	5	5	1	0	0	22.0	A1	x	
<i>Conioselinum pacificum</i>	0	0	10	0	0	0	5	5	0	0	0	20.0	A1	x	
<i>Corallorhiza striata</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Corethrogyne filaginifolia</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Cornus glabrata</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Cornus nuttallii</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Cornus sericea</i> ssp. <i>sericea</i>	0	0	0	1	0	0	5	0	0	1	0	7.0	B		
<i>Corylus cornuta</i> var. <i>californica</i>	0	5	0	1	0	0	3	0	0	1	0	10.0	A2		
<i>Crassula aquatica</i>	0	0	10	0	1	1	5	0	0	0	0	17.0	A2	x	
<i>Crassula connata</i>	0	-1	0	0	0	1	0	0	0	1	0	1.0	--		common regionally
<i>Croton californicus</i>	0	0	0	0	1	0	5	5	1	1	0	13.0	A2		
<i>Croton setiger</i>	0	10	0	1	0	1	1	3	0	0	0	16.0	A2	r	under-reported?
<i>Cryptantha clevelandii</i> var.	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	?
<i>Cryptantha flaccida</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Cryptantha leiocarpa</i>	0	0	0	0	1	1	3	0	0	0	0	5.0	B		
<i>Cuscuta californica</i> var. <i>californica</i>	0	10	0	0	0	0	3	3	0	0	0	16.0	A2	r	
<i>Cuscuta pacifica</i> var. <i>pacifica</i>	0	5	0	0	1	1	1	0	0	0	0	8.0	B		
<i>Cynoglossum grande</i>	0	10	0	1	0	0	1	0	0	0	0	12.0	A2		
<i>Cyperus eragrostis</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0	--		
<i>Cyperus esculentus</i>	0	10	0	1	0	0	3	3	0	0	0	17.0	A2		under-reported?
<i>Cyperus niger</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Danthonia californica</i>	0	-1	0	0	0	0	1	0	0	0	0	0.0	--		common regionally
<i>Daucus pusillus</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Deinandra corymbosa</i> ssp. <i>corymbosa</i>	0	0	10	0	0	1	5	0	1	0	0	17.0	A2	x	
<i>Deinandra kelloggii</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Delphinium californicum</i> ssp.	0	10	0	1	0	0	5	0	1	0	0	17.0	A2	?	check id
<i>Delphinium decorum</i> ssp.	0	10	0	1	0	0	5	3	1	1	0	21.0	A1	?	check id
<i>Deschampsia cespitosa</i> ssp. <i>holciformis</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0	--		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Deschampsia danthonioides</i>	0	10	0	0	0	1	3	0	0	0	0	14.0	A2		
<i>Deschampsia elongata</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Dicentra formosa</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		presumed introduced
<i>Dichelostemma capitatum</i> ssp.	0	-1	0	0	0	1	0	0	0	0	0	0.0	--	?	check id
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Dichelostemma congestum</i>	0	5	0	1	0	1	3	3	0	0	0	13.0	A2		
<i>Dichondra donnelliana</i>	0	-1	0	0	0	0	1	3	1	0	0	4.0	C		
<i>Distichlis spicata</i>	0	-1	0	0	1	0	1	0	0	0	0	1.0	--		
<i>Dodecatheon clevelandii</i> ssp. <i>patulum</i>	0	5	0	1	0	0	3	3	1	1	0	14.0	A2		
<i>Dryocallis glandulosa</i> var. <i>glandulosa</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Dryopteris arguta</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Dudleya farinosa</i>	0	-1	0	0	1	0	3	0	0	1	0	4.0	C		
<i>Echinodorus berteroi</i>	0	10	0	1	1	1	5	0	0	0	0	18.0	A2		
<i>Elatine brachysperma</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Eleocharis acicularis</i> var. <i>acicularis</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Eleocharis macrostachya</i>	0	5	0	1	1	0	1	0	0	0	0	8.0	B		
<i>Eleocharis radicans</i>	0	10	0	1	1	0	5	0	0	0	0	17.0	A2		indigenous status uncertain
<i>Eleocharis rostellata</i>	0	0	10	0	1	0	5	3	0	1	0	20.0	A1	x	
<i>Elodea canadensis</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Elymus condensatus</i>	0	10	0	0	0	0	3	0	0	0	0	13.0	A2		
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--		
<i>Elymus glaucus</i> ssp. <i>virescens</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Elymus mollis</i> ssp. <i>mollis</i>	0	0	0	0	1	0	3	0	0	0	0	4.0	C		
<i>Elymus multisetus</i>	0	5	0	1	0	0	0	0	0	0	0	6.0	B		
<i>Elymus pacificus</i>	0	0	10	0	0	0	5	3	1	0	0	19.0	A2	x	
<i>Elymus triticoides</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Elymus xancouverensis</i>	0	10	0	0	1	0	3	3	0	0	0	17.0	A2		
<i>Epilobium brachycarpum</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Epilobium ciliatum</i> ssp.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	0	0	0	0	0	0	1	0	0	0	0	1.0	--		common regionally
<i>Epilobium ciliatum</i> ssp. <i>watsonii</i>	0	-1	0	0	1	0	1	0	0	1	0	2.0	--		common regionally
<i>Epilobium densiflorum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Epilobium minutum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Epipactis gigantea</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Equisetum arvense</i>	0	10	0	0	1	1	1	0	0	0	0	13.0	A2		
<i>Equisetum hyemale</i> ssp. <i>affine</i>	0	5	0	1	1	0	1	0	0	0	0	8.0	B		
<i>Equisetum laevigatum</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Equisetum palustre</i>	10	0	10	0	1	0	5	5	0	0	0	31.0	A1	x	

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Equisetum telmateia</i> ssp. <i>braunii</i>	0	0	0	0	1	1	1	0	0	0	0	3.0	C		
<i>Eragrostis pectinacea</i> var. <i>pectinacea</i>	0	10	0	0	0	1	1	3	0	0	0	15.0	A2		
<i>Ericameria ericoides</i>	0	-1	0	0	1	0	1	0	1	1	0	3.0	C		common regionally
<i>Erigeron blochmaniae</i>	10	0	0	0	0	0	0	5	1	0	0	16.0			presumed introduced
<i>Erigeron canadensis</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Erigeron foliosus</i> var.	0	0	0	0	0	0	1	3	0	0	0	4.0	C	?	check id
<i>Erigeron glaucus</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Eriogonum latifolium</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Eriogonum nudum</i> var. <i>nudum</i>	0	10	0	0	0	0	1	3	0	0	0	14.0	A2		common regionally - move to Rank B?
<i>Eriophorum gracile</i>	5	0	10	0	0	0	5	5	0	0	0	25.0	A1	x	
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	0	-1	0	0	0	0	0	3	0	0	0	2.0	--		
<i>Eriophyllum lanatum</i> var. <i>arachnoideum</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Eriophyllum staechadifolium</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Eryngium armatum</i>	0	10	10	0	0	0	5	3	1	0	0	29.0	A1	x	
<i>Erysimum capitatum</i> var. <i>capitatum</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Erysimum franciscanum</i>	5	-1	0	0	1	0	3	0	1	1	0	10.0	A2		common, but restricted to sand
<i>Eschscholzia californica</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Euphorbia crenulata</i>	0	10	0	1	0	1	3	0	0	1	0	16.0	A2		
<i>Euphorbia spathulata</i>	0	5	0	1	0	1	1	0	0	0	0	8.0	B		
<i>Eurybia radulina</i>	0	5	0	1	0	0	0	0	0	0	0	6.0	B		common regionally
<i>Euthamia occidentalis</i>	0	5	0	1	1	0	1	0	0	1	0	9.0	B		
<i>Extriplex californica</i>	0	5	0	1	1	0	5	3	0	0	0	15.0	A2		
<i>Extriplex joaquinana</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*
<i>Festuca californica</i>	0	5	0	0	0	0	1	0	0	0	0	6.0	B		common regionally
<i>Festuca elmeri</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Festuca idahoensis</i>	0	0	0	0	0	0	1	0	0	0	0	1.0	--		
<i>Festuca microstachys</i>	0	10	0	0	0	1	0	0	0	0	0	11.0	A2		under-reported?
<i>Festuca octoflora</i>	0	10	0	1	0	1	1	0	0	0	0	13.0	A2		under-reported? Too common - move to Rank B?
<i>Festuca rubra</i>	0	-1	0	0	0	0	1	0	0	0	0	0.0	--		
<i>Fragaria chiloensis</i>	0	-1	0	0	1	0	1	0	0	1	0	2.0	--		common regionally
<i>Fragaria vesca</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Frangula californica</i> ssp.	0	-1	0	0	0	0	1	0	0	1	0	1.0	--	?	check id
<i>Frankenian salina</i>	0	5	0	1	1	0	1	0	0	1	0	9.0	B		
<i>Fritillaria affinis</i>	0	-1	0	0	0	0	1	0	0	0	0	0.0	--		
<i>Fritillaria liliacea</i>	10	10	0	1	0	1	5	0	1	0	0	28.0	A1	*	
<i>Galium aparine</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Galium californicum</i> ssp. <i>californicum</i>	0	0	10	0	0	0	5	0	1	0	0	16.0	A2	x	
<i>Galium nuttallii</i> ssp.	0	10	0	1	0	0	1	0	0	0	0	12.0	A2	?	check id
<i>Galium porrigens</i> var. <i>porrigens</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Galium trifidum</i> ssp. <i>columbianum</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Gamochaeta ustulata</i>	0	10	0	1	0	1	0	0	0	0	0	12.0	A2		
<i>Garrya elliptica</i>	0	5	0	1	0	0	5	0	0	0	0	11.0	A2		
<i>Gaultheria shallon</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Geranium carolinianum</i>	0	10	0	1	0	1	1	0	0	0	0	13.0	A2		Likely underreported, too common. Move to Rank B or C?
<i>Gilia capitata</i> ssp. <i>chamissonis</i>	10	-1	0	1	1	1	5	3	1	1	0	22.0	A1	*	
<i>Gilia clivorum</i>	0	5	0	1	0	1	5	0	0	0	0	12.0	A2		
<i>Gilia millefoliata</i>	10	0	10	0	1	1	5	3	0	0	0	30.0	A1	x	*
<i>Githopsis specularioides</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Glyceria leptostachya</i>	0	10	0	1	1	0	3	3	0	0	0	18.0	A2		
<i>Gnaphalium palustre</i>	0	5	0	0	1	1	1	0	0	1	0	9.0	B		common regionally
<i>Grindelia camporum</i>	0	10	0	1	1	0	1	0	0	0	0	13.0	A2		
<i>Grindelia hirsutula</i>	10	-1	0	0	0	0	0	0	1	1	0	11.0	A2		
<i>Grindelia stricta</i> var. <i>angustifolia</i>	0	5	0	1	1	0	1	5	1	0	0	14.0	A2		
<i>Grindelia stricta</i> var. <i>platyphylla</i>	0	10	0	1	0	0	1	0	1	0	0	13.0	A2		
<i>Helenium puberulum</i>	0	0	0	0	1	0	1	0	0	1	0	3.0	C		
<i>Helianthella castanea</i>	10	0	10	0	0	0	5	3	1	0	0	29.0	A1	x	*
<i>Heliotropium curassavicum</i> var.	0	10	0	1	0	0	1	0	0	0	0	12.0	A2	?	Likely under-reported. Move to Rank B?
<i>Hemizonella minima</i>	0	10	0	1	0	1	5	3	0	0	0	20.0	A1		
<i>Hemizonia congesta</i> ssp. <i>congesta</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*
<i>Hemizonia congesta</i> ssp. <i>luzulifolia</i>	0	10	0	1	0	1	1	0	1	1	0	15.0	A2		
<i>Heracleum maximum</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Hesperovax sparsiflora</i> var. <i>brevifolia</i>	10	0	10	0	0	1	5	3	0	0	0	29.0	A1	x	*
<i>Hesperovax sparsiflora</i> var. <i>sparsiflora</i>	0	5	0	1	1	1	1	0	0	0	0	9.0	B		
<i>Hesperocnide tenella</i>	0	5	0	1	0	1	1	0	0	0	0	8.0	B		under-reported?
<i>Hesperocyparis macrocarpa</i>	10	-1	0	0	0	0	0	0	1	0	0	10.0			introduced

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Hesperocyparis stephensonii</i>	10	10	0	0	0	0	0	5	1	0	0	26.0			introduced
<i>Hesperolinon californicum</i>	0	10	0	1	1	1	3	3	1	1	0	21.0	A1		
<i>Hesperolinon congestum</i>	20	5	0	1	1	1	5	5	1	0	0	39.0	A1	*	
<i>Hesperomecon linearis</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Heteranthera dubia</i>	10	0	10	0	1	0	5	5	0	0	0	31.0	A1	x	*
<i>Heterocodon rariflorum</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Heteromeles arbutifolia</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Heterotheca sessiliflora</i> ssp. <i>bolanderi</i>	0	5	0	1	0	0	3	0	0	1	0	10.0	A2		
<i>Heuchera micrantha</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Hieracium albiflorum</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Hippuris vulgaris</i>	0	10	0	1	1	0	3	3	0	0	0	18.0	A2	r	
<i>Holodiscus discolor</i> var.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id - common regionally
<i>Hordeum brachyantherum</i> ssp.	0	0	0	1	1	0	1	0	0	0	0	3.0	C	?	check id - common regionally
<i>Hordeum depressum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Horkelia californica</i> var.	0	-1	0	0	0	0	0	0	1	1	0	1.0	--	?	check id
<i>Horkelia cuneata</i> var. <i>cuneata</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Horkelia cuneata</i> var. <i>sericea</i>	10	10	0	1	1	0	5	3	1	0	0	31.0	A1	*	
<i>Hosackia gracilis</i>	5	0	10	0	0	0	5	0	0	0	0	20.0	A1	x	
<i>Hydrocotyle ranunculoides</i>	0	10	0	1	1	0	5	0	0	1	0	18.0	A2		
<i>Hydrocotyle verticillata</i>	0	10	0	1	1	0	3	3	0	1	0	19.0	A2		
<i>Hypericum anagalloides</i>	0	10	0	1	1	1	5	0	0	1	0	19.0	A2		
<i>Hypericum scouleri</i>	0	0	10	1	0	0	5	3	0	0	0	19.0	A2	x	
<i>Iris douglasiana</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Iris longipetala</i>	5	-1	0	0	0	1	1	0	1	0	0	7.0	B		
<i>Isocoma menziesii</i> var. <i>vernonioides</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Isoetes nuttallii</i>	0	10	0	1	1	0	1	0	0	0	0	13.0	A2		
<i>Isoetes orcuttii</i>	0	10	0	1	1	0	5	0	0	0	0	17.0	A2	?	check id
<i>Isolepis carinata</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Isolepis cernua</i>	0	0	0	0	1	1	3	0	0	0	0	5.0	B		
<i>Iva axillaris</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Jaumea carnosa</i>	0	0	0	0	1	0	3	0	0	1	0	5.0	B		
<i>Juglans hindsii</i>	10	10	0	1	0	0	0	0	1	0	0	22.0			introduced
<i>Juncus balticus</i> ssp.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id
<i>Juncus bufonius</i> var. <i>bufonius</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		under-reported?
<i>Juncus bufonius</i> var. <i>congestus</i>	0	0	0	0	1	1	0	0	0	0	0	2.0	--		under-reported?
<i>Juncus falcatus</i> var. <i>falcatus</i>	0	0	0	0	1	0	3	3	0	0	0	7.0	B		
<i>Juncus hesperius</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Juncus kelloggii</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Juncus lescurii</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		
<i>Juncus mexicanus</i>	0	5	0	1	0	0	5	0	0	0	0	11.0	A2	r	
<i>Juncus occidentalis</i>	0	0	0	0	0	0	3	0	0	1	0	4.0	C		common regionally
<i>Juncus patens</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Juncus phaeocephalus</i> var.	0	-1	0	0	1	0	0	0	0	1	0	1.0	--	?	check id - common regionally
<i>Juncus tenuis</i>	0	10	0	1	0	0	1	0	0	0	0	12.0	A2		
<i>Juncus xiphioides</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		common regionally
<i>Koeleria macrantha</i>	0	-1	0	0	0	0	3	0	0	1	0	3.0	C		
<i>Lasthenia californica</i> ssp. <i>californica</i>	0	-1	0	0	0	1	3	0	0	0	0	3.0	C		
<i>Lasthenia glabrata</i> ssp. <i>glabrata</i>	0	0	10	0	1	1	5	3	1	0	0	21.0	A1	x	
<i>Lasthenia microglossa</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Lasthenia minor</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Lathyrus jepsonii</i> var. <i>californicus</i>	0	0	10	0	0	0	5	3	1	0	0	19.0	A2	x	
<i>Lathyrus littoralis</i>	0	10	0	1	1	0	5	5	1	0	0	23.0	A1		
<i>Lathyrus vestitus</i> var. <i>ochropetalus</i>	0	10	0	0	0	0	3	0	0	0	0	13.0	A2		
<i>Lathyrus vestitus</i> var. <i>vestitus</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Layia carnosa</i>	20	0	10	0	0	1	5	3	1	0	0	40.0	A1	x	*
<i>Layia chrysanthemoides</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Layia gaillardiioides</i>	0	0	10	0	0	1	5	0	1	0	0	17.0	A2	x	
<i>Layia hieracioides</i>	0	10	0	1	0	1	5	3	1	0	0	21.0	A1		
<i>Layia platyglossa</i>	0	5	0	1	0	1	0	0	0	0	0	7.0	B		
<i>Lemna gibba</i>	0	10	0	1	1	0	0	0	0	0	0	12.0	A2		yes if valid id
<i>Lemna minor</i>	0	10	0	1	1	0	0	0	0	0	0	12.0	A2		yes if valid id
<i>Lemna minuta</i>	0	10	0	1	1	0	0	0	0	0	0	12.0	A2		yes if valid id
<i>Lemna trisulca</i>	0	0	10	0	1	1	5	5	0	0	0	22.0	A1	x	?
<i>Lemna valdiviana</i>	0	0	10	0	1	1	5	0	0	0	0	17.0	A2	x	
<i>Lepechinia calycina</i>	0	0	10	0	0	0	5	0	1	0	0	16.0	A2	x	
<i>Lepidium nitidum</i>	0	0	0	0	0	1	0	0	0	0	0	1.0	--		
<i>Lepidium oblongum</i>	0	10	0	1	0	1	1	3	0	0	0	16.0	A2		
<i>Lepidium strictum</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2	r	
<i>Lepidium virginicum</i> ssp.	0	10	0	1	0	1	1	3	0	0	0	16.0	A2	?	Include if <i>L.v.</i> ssp. <i>menziesii</i>
<i>Leptochloa fusca</i> ssp. <i>fascicularis</i>	0	-1	0	0	0	1	1	5	0	0	0	6.0			presumed introduced
<i>Leptochloa panicea</i> ssp. <i>brachiata</i>	0	10	0	1	0	1	1	3	0	0	0	16.0		?	presumed introduced
<i>Leptosiphon croceus</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*
<i>Leptosiphon grandiflorus</i>	5	0	10	0	0	1	5	3	1	0	0	25.0	A1	x	
<i>Leptosiphon liniflorus</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers		rationale
<i>Leptosiphon rosaceus</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*	
<i>Lessingia germanorum</i>	20	0	0	1	1	1	5	5	1	1	0	35.0	A1		*	
<i>Ligusticum apiifolium</i>	0	0	0	0	0	0	1	3	0	0	0	4.0	C			
<i>Lilium maritimum</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*	
<i>Lilium pardalinum</i> ssp. <i>pardalinum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x		
<i>Limonium californicum</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--			
<i>Limosella aquatica</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x		
<i>Lithophragma affine</i>	0	5	0	1	0	0	5	0	0	0	0	11.0	A2			
<i>Logfia filaginoides</i>	0	10	0	1	0	1	1	0	0	0	0	13.0	A2			
<i>Lomatium caruifolium</i> var.	0	-1	0	0	0	0	0	3	1	0	0	3.0	C	?		check id
<i>Lomatium dasycarpum</i> var.	0	0	0	0	0	0	1	0	0	0	0	1.0	--	?		check id - common regionally
<i>Lomatium utriculatum</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--			
<i>Lonicera hispidula</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--			
<i>Lonicera involucrata</i> var. <i>ledebourii</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--			common regionally
<i>Ludwigia peploides</i> ssp.	0	10	0	1	1	0	1	0	0	0	0	13.0	A2	?		under-reported?
<i>Lupinus albifrons</i> var. <i>collinus</i>	0	0	0	0	0	0	3	0	0	1	10	14.0	A2			
<i>Lupinus arboreus</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--			
<i>Lupinus bicolor</i>	0	-1	0	0	0	1	0	0	0	1	0	1.0	--			
<i>Lupinus chamissonis</i>	0	-1	0	0	1	0	1	0	1	1	0	3.0	C			common regionally
<i>Lupinus formosus</i> var. <i>formosus</i>	0	10	0	1	0	0	1	0	0	1	10	23.0	A1			
<i>Lupinus littoralis</i>	0	0	10	0	1	0	5	5	0	0	0	21.0	A1	x		
<i>Lupinus microcarpus</i> var. <i>microcarpus</i>	0	10	0	1	0	1	3	0	0	0	0	15.0				presumed introduced
<i>Lupinus nanus</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--			
<i>Lupinus pachylobus</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x		
<i>Lupinus polyphyllus</i> var. <i>polyphyllus</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x		
<i>Lupinus sparsiflorus</i>	0	10	0	1	0	1	0	3	0	0	0	15.0				presumed introduced
<i>Lupinus succulentus</i>	0	5	0	0	0	1	0	0	0	0	0	6.0	B			Common regionally; widely seeded. Move to Rank C?
<i>Lupinus variicolor</i>	0	-1	0	0	0	0	1	0	1	1	10	12.0	A2			
<i>Luzula comosa</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--			
<i>Luzula multiflora</i>	0	10	0	1	0	1	1	3	0	0	0	16.0	A2	?		unresolved taxon - possibly confused with <i>L. comosa</i>
<i>Lycopus americanus</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x		
<i>Lyonothamnus floribundus</i>	10	10	0	1	0	0	0	5	1	0	0	27.0				introduced
<i>Lysimachia maritima</i>	0	10	0	1	1	0	3	3	0	0	0	18.0	A2	r		
<i>Madia elegans</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2			

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Madia exigua</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Madia gracilis</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Madia sativa</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Maianthemum racemosum</i>	0	10	0	0	0	0	1	0	0	0	0	11.0	A2		
<i>Maianthemum stellatum</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Malva assurgentiflora</i>	10	10	0	0	0	0	0	5	1	0	0	26.0			introduced
<i>Malvella leprosa</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Marah fabacea</i>	0	-1	0	0	0	0	0	0	1	0	0	0.0	--		
<i>Marah oregana</i>	0	10	0	1	0	0	1	3	0	1	0	16.0	A2		
<i>Marsilea vestita</i> ssp. <i>vestita</i>	0	0	10	0	1	0	1	3	0	0	0	15.0	A2	x	
<i>Matricaria occidentalis</i>	0	0	10	0	1	1	0	0	0	0	0	12.0			presumed introduced
<i>Meconella californica</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Melica californica</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--		
<i>Melica imperfecta</i>	0	-1	0	0	0	0	1	3	0	0	0	3.0	C		
<i>Melica torreyana</i>	0	0	0	0	0	0	1	0	1	1	0	3.0	C		common regionally
<i>Menyanthes trifoliata</i>	0	0	10	0	1	0	5	5	0	0	0	21.0	A1	x	
<i>Micranthes californica</i>	0	10	0	1	1	0	3	0	0	0	0	15.0	A2		
<i>Micropus californicus</i> var.	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	?
<i>Microseris bigelovii</i>	0	0	0	0	0	1	3	3	0	0	0	7.0	B		
<i>Microseris douglasii</i> ssp.	0	5	0	1	1	1	3	3	1	0	0	15.0	A2	?	check id
<i>Microseris paludosa</i>	10	10	0	1	0	0	5	0	1	0	0	27.0	A1	r	*
<i>Microseris sylvatica</i>	5	10	0	1	0	0	5	5	1	0	0	27.0	A1	r	
<i>Microsteris gracilis</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Mimulus aurantiacus</i> var.	0	-1	0	0	0	0	0	0	0	1	0	0.0	--	?	check id
<i>Mimulus cardinalis</i>	0	10	0	1	1	0	3	0	0	0	0	15.0	A2	r	
<i>Mimulus guttatus</i>	0	-1	0	0	1	0	1	0	0	0	0	1.0	--		common regionally
<i>Mimulus moschatus</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Minuartia californica</i>	0	0	10	0	0	1	1	3	0	0	0	15.0	A2	x	
<i>Minuartia douglasii</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Minuartia pusilla</i>	0	0	10	0	0	1	3	3	0	0	0	17.0	A2	x	
<i>Monardella sinuata</i> ssp. <i>nigrescens</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*
<i>Monardella undulata</i> ssp.	0	0	10	0	0	0	5	5	1	0	0	21.0	A1	x	?
<i>Monardella villosa</i> ssp.	0	-1	0	0	0	0	0	0	0	0	0	-1.0		?	no - too common if <i>M.v.f.</i>
<i>Monardella villosa</i> ssp. <i>franciscana</i>	0	0	0	0	0	0	3	3	1	0	0	7.0	B		common regionally
<i>Monolepis nuttalliana</i>	0	0	10	0	0	1	5	5	0	0	0	21.0	A1	x	
<i>Montia fontana</i>	0	10	0	1	1	1	5	0	0	0	0	18.0	A2		
<i>Morella californica</i>	0	-1	0	0	0	0	1	0	0	1	0	1.0	--		
<i>Muilla maritima</i>	0	0	0	1	0	1	5	3	0	0	0	10.0	A2		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Myosurus minimus</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Myriophyllum hippuroides</i>	0	0	10	0	1	0	3	3	0	0	0	17.0	A2	x	
<i>Myriophyllum sibiricum</i>	0	10	0	1	1	0	5	3	0	1	0	21.0	A1		
<i>Najas guadalupensis</i> ssp. <i>guadalupensis</i>	0	0	10	0	0	1	5	5	0	0	0	21.0	A1	x	
<i>Nasturtium officinale</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		common regionally
<i>Navarretia squarrosa</i>	0	-1	0	0	0	1	0	0	0	1	0	1.0	--		
<i>Nemophila heterophylla</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Nemophila maculata</i>	0	10	0	1	0	1	0	5	1	0	0	18.0			presumed introduced
<i>Nemophila menziesii</i> var.	0	5	0	0	0	1	3	0	0	0	0	9.0	B	?	check id
<i>Nemophila parviflora</i> var.	0	10	0	1	0	1	3	0	0	0	0	15.0	A2	?	check id
<i>Nemophila pedunculata</i>	0	0	0	1	0	1	3	0	0	1	0	6.0	B		
<i>Nuphar polysepala</i>	0	0	10	0	1	0	3	3	0	0	0	17.0	A2	x	
<i>Nuttallanthus canadensis</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0			introduced
<i>Oemleria cerasiformis</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Oenanthe sarmentosa</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		common regionally
<i>Oenothera elata</i> ssp. <i>hookeri</i>	0	0	0	1	0	1	1	0	0	0	0	3.0	C		common regionally
<i>Orobanche californica</i> ssp. <i>californica</i>	0	10	0	1	1	0	5	5	1	1	0	24.0	A1		
<i>Orobanche fasciculata</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Orobanche uniflora</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Osmorhiza berteroi</i>	0	5	0	1	0	0	1	0	0	0	0	7.0	B		
<i>Oxalis oregana</i>	0	10	0	1	0	0	1	0	0	0	0	12.0	A2		
<i>Oxalis pilosa</i>	0	0	0	1	0	0	5	0	0	0	0	6.0	B		
<i>Pectocarya penicillata</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Pellaea andromedifolia</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Pellaea mucronata</i> var. <i>mucronata</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Pentachaeta alsinoides</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Pentagramma triangularis</i> ssp.	0	-1	0	0	0	1	0	0	0	0	0	0.0	--	?	check id
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	0	0	0	0	0	1	0	0	0	0	0	1.0	--		
<i>Perideridia kelloggii</i>	0	0	0	0	0	0	1	0	1	1	0	3.0	C		
<i>Persicaria amphibia</i>	0	5	0	0	1	0	0	0	0	1	0	7.0	B		
<i>Persicaria lapathifolia</i>	0	5	0	0	1	1	1	0	0	0	0	8.0	B		
<i>Persicaria punctata</i>	0	0	0	0	1	0	0	0	0	1	0	2.0	--		
<i>Phacelia californica</i>	0	-1	0	0	0	0	0	0	1	1	0	1.0	--		
<i>Phacelia ciliata</i>	0	0	10	0	0	1	3	3	0	0	0	17.0	A2	x	
<i>Phacelia distans</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Phacelia douglasii</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Phacelia malvifolia</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Phacelia nemoralis</i> var. <i>nemoralis</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale	
<i>Phacelia ramosissima</i>	0	10	0	1	0	1	3	3	0	0	0	18.0	A2			
<i>Phalaris californica</i>	0	5	0	1	0	0	1	0	0	1	0	8.0	B			
<i>Phleum alpinum</i>	0	10	0	1	1	0	3	3	0	0	0	18.0	A2	r		
<i>Pholistoma auritum</i> var. <i>auritum</i>	0	10	0	0	0	1	1	3	0	0	0	15.0	A2			
<i>Phragmites australis</i>	0	10	0	1	1	0	1	0	0	0	0	13.0	A2		Restricted to wetlands, but common regionally. Move to Rank B?	
<i>Phyla nodiflora</i>	0	10	0	1	0	0	0	0	0	0	0	11.0	A2			
<i>Phyllospadix torreyi</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x		
<i>Pinus contorta</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced	
<i>Pinus muricata</i>	0	10	0	1	0	0	0	0	0	0	0	11.0			introduced	
<i>Pinus ponderosa</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced	
<i>Pinus radiata</i>	10	-1	0	0	0	0	0	0	1	0	0	10.0			introduced	
<i>Piperia elegans</i> ssp.	0	-1	0	0	0	1	0	0	0	1	0	1.0	--	?	check id	
<i>Piperia michaelii</i>	5	10	0	1	0	1	5	3	1	0	0	26.0	A1			
<i>Plagiobothrys bracteatus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x		
<i>Plagiobothrys chorisianus</i> var. <i>chorisianus</i>	10	0	10	0	0	1	5	3	1	0	0	30.0	A1	x	*	
<i>Plagiobothrys diffusus</i>	10	0	10	0	0	1	5	3	1	1	0	31.0	A1	x		
<i>Plantago elongata</i>	0	5	0	1	1	1	1	0	0	0	0	9.0	B			
<i>Plantago erecta</i>	0	-1	0	0	0	1	0	0	0	1	0	1.0	--		common regionally	
<i>Plantago maritima</i>	0	0	0	0	1	0	1	0	0	1	0	3.0	C			
<i>Plantago subnuda</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B			
<i>Platanthera sparsiflora</i>	0	0	10	0	0	0	5	5	0	0	0	20.0	A1	x		
<i>Platanus racemosa</i>	0	-1	0	1	1	0	3	3	0	0	0	7.0			introduced	
<i>Plectritis congesta</i> ssp. <i>brachystemon</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x		
<i>Plectritis macrocera</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x		
<i>Pleuropogon californicus</i> var.	0	0	10	0	1	1	5	0	1	0	0	18.0	A2	x	?	check id
<i>Poa douglasii</i>	0	0	0	0	1	0	1	3	1	0	0	6.0	B			
<i>Poa secunda</i> ssp. <i>secunda</i>	0	0	0	0	1	0	3	0	0	0	0	4.0	C			
<i>Poa unilateralis</i> ssp. <i>unilateralis</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--	?	check id - common regionally	
<i>Polemonium carneum</i>	10	0	10	0	0	0	5	3	0	0	0	28.0	A1	x	*	
<i>Polygala californica</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B			
<i>Polygonum paronychia</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--			
<i>Polypodium californicum</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--			
<i>Polypodium calirhiza</i>	0	10	0	1	1	1	1	0	0	0	0	14.0	A2			
<i>Polypodium glycyrrhiza</i>	0	10	0	0	1	1	5	0	0	0	0	17.0	A2	x		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Polypodium scouleri</i>	0	-1	0	0	0	1	3	0	0	1	0	4.0	C		
<i>Polystichum dudleyi</i>	0	10	0	1	0	1	1	0	1	0	0	14.0	A2		
<i>Polystichum imbricans</i> ssp. <i>imbricans</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Polystichum munitum</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Populus fremontii</i> ssp. <i>fremontii</i>	0	-1	0	0	1	0	1	0	0	0	0	1.0	--		planted
<i>Populus tremuloides</i>	0	10	0	1	0	0	0	5	0	0	0	16.0			introduced
<i>Potamogeton foliosus</i> ssp. <i>foliosus</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Potamogeton nodosus</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Potamogeton pusillus</i>	0	0	10	0	1	1	5	3	0	0	0	20.0	A1	x	
<i>Potentilla anserina</i> ssp. <i>pacifica</i>	0	-1	0	0	1	0	1	0	0	1	0	2.0	--		common regionally
<i>Potentilla gracilis</i> var. <i>elmeri</i>	0	0	10	0	0	0	5	5	0	0	0	20.0	A1	x	
<i>Potentilla rivalis</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Primula hendersonii</i>	0	0	0	0	0	0	3	0	0	1	0	4.0	C		
<i>Prosartes hookeri</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	0	5	0	1	0	0	1	0	0	0	0	7.0	B		
<i>Prunus emarginata</i>	0	5	0	1	0	0	5	0	0	0	0	11.0	A2		
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	0	10	0	1	0	0	3	3	0	0	0	17.0	A2		Bayview Hill has only natural stand; other sites are planted
<i>Prunus virginiana</i> var. <i>demissa</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Pseudognaphalium beneolens</i>	0	-1	0	0	0	0	0	3	0	0	0	2.0	--		
<i>Pseudognaphalium biolettii</i>	0	10	0	0	0	0	0	3	0	0	0	13.0	A2		
<i>Pseudognaphalium californicum</i>	0	0	0	0	0	0	1	0	0	1	0	2.0	--		
<i>Pseudognaphalium microcephalum</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Pseudognaphalium ramosissimum</i>	0	-1	0	0	0	0	0	0	1	0	0	0.0	--		
<i>Pseudognaphalium stramineum</i>	0	-1	0	0	0	1	1	0	0	1	0	2.0	--		
<i>Pseudotsuga menziesii</i>	0	5	0	0	0	0	0	0	0	0	0	5.0			introduced
<i>Psilocarphus tenellus</i>	0	5	0	1	0	1	3	0	0	0	0	10.0	A2		
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Pterostegia drymarioides</i>	0	0	0	1	0	1	3	0	0	0	0	5.0	B		
<i>Quercus agrifolia</i> var.	0	-1	0	0	0	0	1	0	0	1	0	1.0	--	?	check id - common regionally
<i>Quercus chrysolepis</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Quercus lobata</i>	0	10	0	1	0	0	3	0	1	1	0	16.0			introduced
<i>Quercus parvula</i> var. <i>shrevei</i>	0	10	0	1	0	0	1	0	1	0	0	13.0	A2	?	check id
<i>Quercus wislizeni</i> var. <i>frutescens</i>	0	10	0	0	0	0	0	5	0	0	0	15.0	A2		
<i>Rafinesquia californica</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2	r	
<i>Ranunculus aquatilis</i> var. <i>diffusus</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Ranunculus californicus</i> var.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id
<i>Ranunculus hebecarpus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Ranunculus orthorhynchus</i> var. <i>bloomeri</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Rhamnus crocea</i>	0	5	0	1	0	0	5	0	0	0	0	11.0	A2		not reproducing
<i>Ribes divaricatum</i> var. <i>pubiflorum</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	0	10	0	1	0	0	3	3	1	0	0	18.0	A2		
<i>Ribes menziesii</i> var. <i>menziesii</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Ribes sanguineum</i> var. <i>glutinosum</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Romneya trichocalyx</i>	0	10	0	1	0	0	0	5	0	0	0	16.0			introduced
<i>Rorippa curvisiliqua</i>	0	10	0	1	1	1	5	0	0	0	0	18.0	A2		
<i>Rosa californica</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Rosa gymnocarpa</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Rubus parviflorus</i>	0	0	0	0	0	0	3	0	0	1	0	4.0	C		
<i>Rubus spectabilis</i>	0	0	10	0	0	1	3	3	0	0	0	17.0	A2	x	
<i>Rubus ursinus</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Rumex crassus</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		
<i>Rumex fueginus</i>	0	10	0	1	1	0	1	3	0	0	0	16.0	A2		
<i>Rumex occidentalis</i>	0	10	0	1	1	0	1	3	0	0	0	16.0	A2		
<i>Rumex salicifolius</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		
<i>Rumex salicifolius</i> var.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id
<i>Ruppia maritima</i>	0	10	0	1	1	0	1	3	0	0	0	16.0	A2		
<i>Sagina apetala</i>	0	10	0	1	0	1	5	0	0	0	0	17.0			introduced
<i>Sagina decumbens</i> ssp. <i>occidentalis</i>	0	10	0	1	0	1	5	0	0	0	0	17.0	A2		
<i>Sagina maxima</i> ssp. <i>crassicaulis</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Sagittaria montevidensis</i> ssp. <i>calycina</i>	0	10	0	1	1	1	5	5	0	0	0	23.0	A1		
<i>Salicornia pacifica</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		
<i>Salix exigua</i> var.	0	10	0	1	0	0	1	0	0	0	0	12.0	A2	?	check id
<i>Salix laevigata</i>	0	5	0	0	0	0	0	0	0	0	0	5.0	B		
<i>Salix lasiandra</i> var. <i>lasiandra</i>	0	0	0	0	1	0	1	0	0	0	0	2.0	--		
<i>Salix lasiolepis</i>	0	-1	0	0	1	0	0	0	0	1	0	1.0	--		
<i>Salix scouleriana</i>	0	10	0	1	1	0	5	3	0	0	0	20.0	A1		needs study
<i>Salix sitchensis</i>	0	10	0	1	1	0	5	0	0	0	0	17.0	A2		needs study
<i>Salvia leucophylla</i>	0	10	0	1	0	0	0	5	1	0	0	17.0			introduced
<i>Salvia spathacea</i>	0	10	0	1	0	0	1	5	1	0	0	18.0	A2		
<i>Sambucus nigra</i> ssp. <i>caerulea</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Sambucus racemosa</i> var. <i>racemosa</i>	0	-1	0	0	0	0	0	3	0	0	0	2.0	--		
<i>Samolus parviflorus</i>	0	0	10	0	0	1	5	5	0	0	0	21.0	A1	x	
<i>Sanicula arctopoides</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Sanicula bipinnatifida</i>	0	-1	0	0	0	0	0	0	1	0	0	0.0	--		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Sanicula crassicaulis</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Sanicula maritima</i>	20	0	10	0	0	0	5	3	1	0	0	39.0	A1	x *	
<i>Sanicula tuberosa</i>	0	10	0	1	1	0	5	0	0	0	0	17.0	A2		
<i>Sceptridium multifidum</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i>	0	10	0	1	1	0	0	0	0	0	0	12.0	A2		common regionally; move to Rank B?
<i>Schoenoplectus americanus</i>	0	10	0	1	1	0	0	5	0	0	0	17.0	A2		common regionally; move to Rank B?
<i>Schoenoplectus californicus</i>	0	0	0	0	1	0	0	0	0	0	0	1.0	--		
<i>Schoenoplectus pungens</i> var.	0	0	0	0	1	0	0	0	0	0	0	1.0	--	?	check id - common regionally
<i>Schoenoplectus tabernaemontani</i>	0	0	10	0	1	0	3	3	0	0	0	17.0	A2	x	
<i>Scirpus microcarpus</i>	0	0	0	0	1	0	0	0	0	0	0	1.0	--		common regionally
<i>Scrophularia californica</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Scutellaria tuberosa</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Sedum spathulifolium</i>	0	0	0	0	1	0	3	0	0	0	10	14.0	A2		
<i>Senecio aronicoides</i>	0	5	0	1	0	0	5	3	0	0	0	14.0	A2		
<i>Sequoia sempervirens</i>	0	0	0	0	0	0	0	0	0	0	0	0.0			introduced
<i>Sequoiadendron giganteum</i>	0	10	0	0	0	0	0	5	1	0	0	16.0			introduced
<i>Sidalcea calycosa</i> ssp. <i>rhizomata</i>	10	10	0	1	1	0	3	3	1	0	0	29.0	A1		
<i>Sidalcea malviflora</i> ssp.	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--	?	check id
<i>Sidalcea malviflora</i> ssp. <i>malviflora</i>	0	5	0	0	0	0	3	0	0	0	0	8.0	B		common regionally
<i>Silene scouleri</i> ssp. <i>scouleri</i>	0	10	0	1	0	0	5	3	0	0	0	19.0	A2		
<i>Silene verecunda</i>	10	0	0	1	0	0	5	3	1	1	0	21.0	A1	*	
<i>Sisyrinchium bellum</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Sisyrinchium californicum</i>	0	5	0	1	0	1	5	3	0	0	0	15.0	A2		
<i>Solanum americanum</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Solanum douglasii</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Solanum umbelliferum</i>	0	0	0	0	0	0	0	0	0	1	0	1.0	--		
<i>Solidago confinis</i>	0	10	0	1	1	0	1	3	0	0	0	16.0	A2		
<i>Solidago elongata</i>	0	0	0	1	0	0	0	0	0	1	0	2.0	--		rel. uncommon
<i>Solidago spathulata</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Solidago velutina</i> ssp. <i>californica</i>	0	10	0	1	0	0	3	0	0	0	0	14.0	A2		
<i>Sparganium eurycarpum</i> var. <i>eurycarpum</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Spartina foliosa</i>	0	5	0	0	1	0	3	0	0	0	0	9.0	B		
<i>Spergularia macrotheca</i> var. <i>macrotheca</i>	0	0	0	0	1	0	1	3	0	1	0	6.0	B		
<i>Spergularia marina</i>	0	5	0	1	1	1	1	0	0	0	0	9.0	B		
<i>Spiranthes romanoffiana</i>	0	0	0	1	1	1	5	0	0	0	0	8.0	B		

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Stachys ajugoides</i>	0	-1	0	0	0	0	0	0	1	1	0	1.0	--		
<i>Stachys bullata</i>	0	5	0	1	0	0	1	3	1	0	0	11.0	A2		
<i>Stachys chamissonis</i>	0	0	10	0	1	0	3	0	1	0	0	15.0	A2	x	
<i>Stachys rigida</i> var. <i>rigida</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Stebbinsoseris decipiens</i>	10	0	10	0	1	1	5	3	1	0	0	31.0	A1	x	*
<i>Stebbinsoseris heterocarpa</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Stellaria littoralis</i>	5	10	0	1	1	0	3	5	1	0	0	26.0	A1		
<i>Stellaria nitens</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>	0	10	0	1	0	1	5	3	0	0	0	20.0	A1		
<i>Stipa cernua</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Stipa lepida</i>	0	0	0	0	1	0	3	0	0	0	0	4.0	C		
<i>Stipa pulchra</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Suaeda californica</i>	20	5	0	1	1	0	5	3	1	0	0	36.0	A1	r	*
<i>Symphoricarpos albus</i> var. <i>laevigatus</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Symphoricarpos mollis</i>	0	5	0	1	0	0	1	0	0	0	0	7.0	B		
<i>Symphyotrichum chilense</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Symphyotrichum subspicatum</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Symphyotrichum subulatum</i> var. <i>ligulatum</i>	0	5	0	1	1	1	3	0	0	0	0	11.0		?	check id - not in CA
<i>Tanacetum bipinnatum</i>	0	-1	0	0	1	0	3	3	1	1	0	8.0	B		
<i>Taraxia ovata</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Taxus brevifolia</i>	0	10	0	1	0	0	0	3	0	0	0	14.0			introduced
<i>Tellima grandiflora</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Thalictrum fendleri</i> var. <i>fendleri</i>	0	0	10	0	0	0	5	3	0	0	0	18.0	A2	x	
<i>Thysanocarpus curvipes</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Thysanocarpus laciniatus</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Torreyochloa pallida</i> var. <i>pauciflora</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Toxicodendron diversilobum</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Toxicoscordion fremontii</i>	0	5	0	1	0	1	1	0	0	0	0	8.0	B		
<i>Trifolium albopurpureum</i>	0	5	0	1	0	1	1	0	0	0	0	8.0	B		
<i>Trifolium barbigerum</i>	0	5	0	1	0	1	5	0	1	1	0	14.0	A2		
<i>Trifolium bifidum</i> var. <i>bifidum</i>	0	10	0	1	0	1	1	0	1	0	0	14.0	A2		
<i>Trifolium depauperatum</i> var. <i>amplectans</i>	0	0	0	0	0	1	0	0	1	0	0	2.0	--		
<i>Trifolium depauperatum</i> var. <i>truncatum</i>	0	5	0	1	0	1	3	0	0	1	0	11.0	A2		
<i>Trifolium dichotomum</i>	0	10	0	0	0	1	0	0	1	0	0	12.0	A2		
<i>Trifolium fucatum</i>	0	0	0	0	0	1	1	0	0	0	0	2.0	--		
<i>Trifolium gracilentum</i>	0	0	0	0	0	1	1	0	0	0	0	2.0	--		
<i>Trifolium grayi</i>	0	0	10	0	0	1	5	3	1	0	0	20.0	A1	x	
<i>Trifolium macraei</i>	0	0	0	1	1	1	1	0	0	1	0	5.0	B		what is status in SF?

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Trifolium microcephalum</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Trifolium microdon</i>	0	5	0	1	1	1	1	0	1	0	0	10.0	A2		
<i>Trifolium oliganthum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Trifolium variegatum</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Trifolium willdenovii</i>	0	-1	0	0	0	1	0	0	0	1	0	1.0	--		common regionally
<i>Trifolium wormskioldii</i>	0	0	0	0	0	0	0	0	0	0	0	0.0	--		
<i>Triglochin concinna</i> var. <i>concinna</i>	0	10	0	1	1	0	3	0	0	0	0	15.0	A2		
<i>Triglochin maritima</i>	0	10	0	1	1	0	5	0	0	1	0	18.0	A2		
<i>Triglochin scilloides</i>	0	10	0	1	1	1	5	0	0	0	0	18.0	A2		
<i>Trillium chloropetalum</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Triodanis biflora</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Triphysaria eriantha</i> ssp. <i>eriantha</i>	0	5	0	1	0	1	1	0	0	0	0	8.0	B	?	check id
<i>Triphysaria eriantha</i> ssp. <i>rosea</i>	0	10	0	1	0	1	5	0	1	0	0	18.0	A2		
<i>Triphysaria floribunda</i>	10	5	0	1	1	1	5	5	1	1	0	30.0	A1		*
<i>Triphysaria pusilla</i>	0	-1	0	0	0	1	0	0	0	0	0	0.0	--		
<i>Triphysaria versicolor</i> ssp. <i>faucibarbata</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Triphysaria versicolor</i> ssp. <i>versicolor</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Trisetum canescens</i>	0	0	10	0	0	0	5	0	0	0	0	15.0	A2	x	
<i>Triteleia hyacinthina</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Triteleia laxa</i>	0	-1	0	0	0	1	0	0	1	0	0	1.0	--		common regionally
<i>Turritis glabra</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Typha angustifolia</i>	0	-1	0	0	1	0	0	0	0	0	0	0.0	--		check id
<i>Typha domingensis</i>	0	0	10	0	1	0	5	0	0	0	0	16.0	A2	x	
<i>Typha latifolia</i>	0	0	0	0	1	0	0	0	0	0	0	1.0	--		
<i>Umbellularia californica</i>	0	5	0	1	0	0	1	0	0	1	0	8.0	B		common regionally
<i>Uropappus lindleyi</i>	0	0	0	0	0	1	1	0	0	0	0	2.0	--		
<i>Urtica dioica</i> ssp. <i>gracilis</i>	0	10	0	0	1	0	1	0	0	0	0	12.0	A2		
<i>Urtica dioica</i> ssp. <i>holosericea</i>	0	-1	0	0	0	0	0	0	0	0	0	-1.0	--		
<i>Vaccinium ovatum</i>	0	5	0	1	0	0	3	0	0	0	0	9.0	B		
<i>Verbena lasiostacys</i>	0	10	0	1	0	0	1	0	0	0	0	12.0	A2		
<i>Veronica americana</i>	0	0	0	0	1	0	0	0	0	1	0	2.0	--		common regionally
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	0	10	0	1	1	1	1	0	0	0	0	14.0	A2		
<i>Veronica serpyllifolia</i> ssp.	0	10	0	1	1	1	5	0	0	0	0	18.0	A2		
<i>Vicia americana</i> ssp. <i>americana</i>	0	10	0	0	0	0	0	0	0	0	0	10.0			presumed introduced
<i>Vicia gigantea</i>	0	0	0	0	0	0	0	0	0	1	0	1.0	--		common regionally
<i>Vicia ludoviciana</i> ssp. <i>ludoviciana</i>	0	0	10	0	0	1	5	3	0	0	0	19.0	A2	x	
<i>Viola adunca</i> ssp. <i>adunca</i>	0	0	0	0	1	0	3	0	1	1	10	16.0	A2		
<i>Viola pedunculata</i>	0	0	0	0	1	0	3	0	0	0	10	14.0	A2		
<i>Wolffiella lingulata</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	

LOCALLY SIGNIFICANT PLANT SPECIES OF SAN FRANCISCO COUNTY

Scientific Name	Rarity Status	# SF pops	Extirpated	Local Pop. Size	Habitat Specificity	Life Form	Threats	Geographic Range	Endemic	SF is type locality	Wildlife Value	Sum	Rank	Rank modifiers	rationale
<i>Woodwardia fimbriata</i>	0	5	0	1	1	1	3	0	0	0	0	11.0	A2		
<i>Wyethia angustifolia</i>	0	-1	0	0	0	0	0	0	0	1	0	0.0	--		
<i>Wyethia helenioides</i>	0	0	10	0	0	0	5	0	1	0	0	16.0	A2	x	
<i>Xanthium spinosum</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Xanthium strumarium</i>	0	10	0	0	0	1	0	0	0	0	0	11.0	A2		Likely under-reported; move to Rank B?
<i>Yabea microcarpa</i>	0	0	10	0	0	1	5	0	0	0	0	16.0	A2	x	
<i>Zannichellia palustris</i>	0	0	10	0	1	0	5	3	0	0	0	19.0	A2	x	
<i>Zeltnera davyi</i>	0	10	0	1	0	1	1	0	1	0	0	14.0	A2		
<i>Zeltnera muehlenbergii</i>	0	10	0	1	0	1	3	0	0	0	0	15.0	A2		
<i>Zostera marina</i>	0	10	0	0	1	0	1	0	0	0	0	12.0	A2		

Species in **BOLD** appear on CNPS Lists 1, 2, 3, or 4.

Rankings Summary			
Total Ranked Taxa	513	A1	98
Total CA Native Taxa	729	A2	304
A1 - Extirpated	61	B	78
A2 - Extirpated	127	C	33
Reintroduced Taxa	15		
Total CEQA Taxa	402		
% of native taxa	55.1%		